



## Water Coolers

### **BARRIER-FREE BI-LEVEL MODULAR MSSLPM**

#### **Model**

MSSLPM is a non-refrigerated drinking fountain. When the mechanical push-button is depressed water continues to flow as long as the button is depressed.

When accessory apron is used on the upper unit, this cooler will comply with ADA guidelines when properly installed. Apron not required when installed in an alcove or if a wing wall is installed on the right side.

#### **Standard Features**

- > Waterways are Lead-Free in Materials & Construction
- > Stainless Steel Surfaces
- > Heavy duty galvanized steel mounting frame
- > Product Certified to NSF/ANSI Standard 61, Annex G (AB1953)
- > Limited 1-Year Warranty

#### **Finishes**

- > Standard finish: Stainless Steel
- > Optional finish at extra cost: Regency Bronze

#### **Installation**

- > Prior to roughing-in, consult local, state and federal codes for proper mounting height.
- > Wall mounting frame is furnished for easy installation

#### **Weight**

- > Net weight approximately 59 lbs.

#### **Accessories**

- > Stainless steel apron for upper unit (032067-001)
- > Regency bronze apron for upper unit (032067-002)



Components in this cooler are lead free as defined by the Safe Drinking Water Act Amendments of 1986, and the Lead Contamination Control Act of 1988.

**Limited 1-Year Warranty** (Continental limits of the United States and Canada): One year from date of installation on parts only. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

**Export Warranty:** One year on component parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Product Certified to NSF/ANSI Standard 61, Annex G (weighted average lead content of  $\leq 0.25\%$ ) and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953).


Drinking water coolers shall comply with ANSI A117.1-1992 and ADA frontal approach requirements. Listed by Underwriters' Laboratories to U.S. and Canadian standards.



Certified to  
NSF/ANSI 61-G


# OASIS™ BARRIER-FREE BI-LEVEL MODULAR DRINKING FOUNTAIN MODEL MSS1PM

## ROUGHING-IN AND DIMENSIONAL DRAWING



- NOTES:
1. RECOMMENDED ADULT HEIGHT INSTALLATION SHOWN. ADJUST VERTICAL DIMENSIONS AS REQUIRED TO COMPLY WITH FEDERAL, STATE AND LOCAL CODES.
  2. STOP VALVE NOT PROVIDED WITH UNIT.
  3. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [ ] ARE IN MILLIMETERS.

## WALL OPENING & ASSEMBLY



THIRD ANGLE PROJECTION

## ROUGHING-IN AND DIMENSIONAL DRAWING